

Price List (W.E.F 13.04.2026) Revision -1.11

DIGITAL AMMETER/VOLTMETER METER

Display: 4 Digit LED 12.5mm. Size : 96 X 96 mm(Depth 52mm),48X96mm (Depth 50 mm) ,
72x72mmPanelCutout91X91mm,44X91mm,AuxiliarySupply:230VAC(Normal).ACC:1.0% of FSD.

MODEL	DESCRPITION	MRP
DV-1-AC(96)	VoltmeterAC0-200mV,2V,20V,200V,750V	860.00
DV-1-AC(48)	VoltmeterAC0-200mV,2V,20V,200V,750V	860.00
DV-1-AC(72)	VoltmeterAC0-200mV,2V,20V,200V,750V	840.00
DV-1-DC(96)	VoltmeterDC0-200mV,2V,20V,200V,750V	900.00
DV-1-DC(48)	VoltmeterDC0-200mV,2V,20V,200V,750V	880.00
DV-1-DC(72)	VoltmeterDC0-200mV,2V,20V,200V,750V	880.00
DV-3(1Row)(96)	VoltmeterAC3Ph(Inbuilt Selector Switch)500V	1180.00
DV-3(1Row)(48)	VoltmeterAC3Ph(Inbuilt Selector Switch)500V	1150.00
DV-3(3Row)(96)	VoltmeterAC3Ph(Inbuilt Selector Switch)500V,3Line Display	1230.00
DA-1-AC(96)	AmmeterAC0-2mA,200mA,2A,20Aor5-5000A	860.00
DA-1-AC(48)	AmmeterAC0-2mA,200mA,2A,20Aor5-5000A	860.00
DA-1-AC(72)	AmmeterAC0-2mA,200mA,2A,20Aor5-5000A	840.00
DA-1-DC(96)	AmmeterAC0-2mA,200mA,2A,20Aor5-5000A	900.00
DA-1-DC(48)	AmmeterAC0-2mA,200mA,2A,20Aor5-5000A	900.00
DA-1-DC(72)	AmmeterAC0-2mA,200mA,2A,20Aor5-5000A	890.00
DVA-1-72	DigitalAmmeter&Voltmeter1PH	1150.00
DVA-1-96	DigitalAmmeter&Voltmeter1PH	1270.00
DA-3(1Row)(96)	AmmeterAC3Ph(Inbuilt Selector Switch)5-5000A	1180.00
DA-3(1Row)(48)	AmmeterAC3Ph(Inbuilt Selector Switch)5-5000A	1180.00
DA-3(3Row)(96)	AmmeterAC3Ph(Inbuilt Selector Switch)5-5000A,3Line Display	1230.00

DIGITAL FREQUENCY METER

Display:4Digit LED12.5mm.Size:96X96mm, 96X48mm, AuxiliarySupply:230VAC(Normal), ACC: 0.2% of FSD.

MODEL	DESCRPITION	MRP
DF-1 (96)	Frequency Hz Range:20-99.9H/110Vor230Vor440V	1000.00
DF-1 (48)	Frequency Hz Range:20-99.9H/110Vor230Vor440V	1000.00

DIGITAL WATTMETERS

Display:4Digit LED12.5mm.Size: 96X96mm Panel Cutout 90X90mm,AuxiliarySupply: 230V AC, ACC: 1.0% of FSD.

MODEL	DESCRIPTION	MRP
DW-11(96)	Single Phase Single Element Current 5Aor1AVoltage110Vor230Vor 440V	2730.00
DW-33(96)	Three Phase Double Element 3 Wire Curren t5Aor1AVoltage110Vor230V or 440V	2970.00
DW-34(96)	ThreePhaseThreeElement4WireCurrent5Aor1AVoltage110Vor230Vor 440V	3075.00

DIGITAL POWERFACTOR METER

Display:4Digit ED12.5mm.Size:96X96mm AuxiliarySupply:230VACACC:1.0%OfFSD, Range: 0.5 IND UNITY 0.5 CAP

MODEL	DESCRIPTION	MRP
DPF-11(96)	SinglePhaseSingleElementCurrent5Aor1Avoltage110Vor230Vor 440V	2730.00
DPF-33(96)	ThreePhaseDoubleElement3WireCurrent5Aor1AVoltage110Vor230V or 400V	2940.00
DPF-34 (96)	Three Phase Three Element 4 Wire Current 5A or 1A Voltage 110V or 230V or 440V	3050.00

DIGITAL EARTH LEAKAGE RELAY / CBCT

MODEL	DESCRIPTION	MRP
ELR 96	DigitalEarthLeakageRelay96X96mm	1850.00
ELR DIN	Channel Mounting	1850.00
CBCT35	CBCT35mmID	1020.00
CBCT70	CBCT70mmID	1240.00
CBCT120	CBCT120mm ID	2000.00
CBCT210	CBCT210mm ID	4000.00
CBCT310	CBCT310mm ID	8500.00

Note:1.Aux.110V/30VDC/SMPS can be supplied on request.

2.CBCT300mm Rectangular on request.

LINE MONITORING RELAY

MODEL	DESCRIPTION	MRP
300UVR-Din	3P-4W240V50Hz	800.00
500PSR-Din	3P-3W154-500VAC(L-L)	860.00
300LMR-Din	3P-4W170-290(L-N)	1300.00
300LMR-Din	3P-3W310-520V(L-L)	1300.00

VOLTAGE MONITORING RELAY

MODEL	DESCRIPTION	MRP
300VPR-din	160V-280VAC50/60HZ-3Phase	1800.00
600VPR-96	160V-280VAC50/60HZ-3Phase	1800.00

CURRENT MONITORING RELAY

MODEL	DESCRIPTION	MRP
300CPR-din	85V-270V AC/DC	1900.00
600CPR	160V-280VAC50/60HZ	1900.00

VAF METER

MODEL	DESCRPITION	MRP
DT-36L-3PH	3X3Display3PH4WVAFV+A+HZ	1580.00
DT-36M-1PH	3X4Display3PH4WVAFV+A+HZ	1660.00
DT-36M-3PH	3X4Display3PH4WVAFV+A+HZ	1760.00

MULTIFUNCTION METER

MODEL	DESCRPITION	MRP
DT-3600-1PH	1PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PF	2900.00
DT-3600-1PH-RS	1PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PFWITHRS485	3700.00
DT-3600-1PH-AL	1PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PFWITHalarm	3700.00
DT-3600-1PH-AL-RS	1PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PFWITHalarm,RS485	4500.00
DT-3600-3PH	3PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PF	3000.00
DT-3600-3PH-RS	3PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ONHR ALSO ONE PAGE 1PHASE V,A & PFWITH RS485	3800.00
DT-3600-3PH-AL	3PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PFWITHalarm	3800.00
DT-3600-3PH-AL-RS	3PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PFWITHALRAM&RS485	4600.00
DT-3600-KWH	3PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ONHR ALSO ONE PAGE 1PHASE V,A & PF+KWH	3500.00
DT-3600-KWH-RS	3PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PF+KWHRS485	4300.00
DT-3600-KWH--AL	3PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PF+KWHalarm	4300.00
DT-3600-KWH-AL-RS	3PHMFMMETERI.EV+A+HZ+KW+P.F.+KVA+RPM+ON HR ALSOONEPAGE1PHASEV,A&PF+KWHalarm+RS485	5100.00
DT108	LED-THREEPHASEA+V+HZ+KW+PF+KVA+KWH+KVAH	4300.00
DT108-RS	LED-THREEPHASEA+V+HZ+KW+PF+KVA+KWH+KVAH	5100.00
DT108-DG	LED-THREEPHASEA+V+HZ+KW+PF+KVA+KWH+KVAH	4800.00
DT108-DG-RS	LED-THREEPHASEA+V+HZ+KW+PF+KVA+KWH+KVAH	5600.00
DT108-AL	LED-THREEPHASEA+V+HZ+KW+PF+KVA+KWH+KVAH	5100.00
DT108-AL-RS	LED-THREEPHASEA+V+HZ+KW+PF+KVA+KWH+KVAH	5900.00
DT108+	DT108+MINMAXV,A,HZ,DEMANDCURRENT	5330.00
DT108+RS	DT108+MINMAXV,A,HZ,DEMANDCURRENTWITHRS485	6130.00
MFM-804	THD%+PLUSEO/PCL 1%	8400.00
MFM-804-RS	THD%+PLUSEO/PWITHRS485CL 1%	9200.00

MFM-804	THD%+PLUSEO/PCL0.5%	10450.00
MFM-804-RS	THD%+PLUSEO/PWITHRS485CL0.5%	11250.00

MULTIFUNCTION METER ADVANCE

DT 108A- 1PH (0.5%)	MFM DT 108A 1PHASE(0.5%)	5000.00
DT 108A- 1PH(0.5%)-DG	MFM DT 108A 1PHASE(0.5%)-DG	5500.00
DT 108A- 1PH(0.5%)-RS	MFM DT 108A 1PHASE(0.5%)-RS	5800.00
DT 108A- 1PH(0.5%)-AL	MFM DT 108A 1PHASE(0.5%)-AL	5800.00
DT108A- 1PH(0.5)-DG-RS	MFM DT 108A 1PHASE(0.5)-DG-RS	6300.00
DT 108A- 1PH(0.5)-DG-RS-AL	MFM DT 108A 1PHASE(0.5)-DG-RS-AL	7100.00
DT 108A-3PH(0.5%)	MFM DT 108A 3PHASE(0.5%)	5100.00
DT 108A-3PH(0.5%)-DG	MFM DT 108A 3PHASE(0.5%)-DG	5600.00
DT 108A-3PH(0.5%)-RS	MFM DT 108A 3PHASE(0.5%)-RS	5900.00
DT 108A-3PH(0.5%)-AL	MFM DT 108A 3PHASE(0.5%)-AL	5600.00
DT 108A-3PH(0.5%)-DG-RS	MFM DT 108A 3PHASE(0.5%)-DG-RS	6400.00
DT 108PQR-3PH(0.5%)-DG-RS-AL	MFM DT 108A 3PHASE(0.5%)-DG-RS-AL	7200.00
MFM804A-1PH(0.5%)	MFM804A 1PHASE(0.5%)	9000.00
MFM804A- 1PH(0.5%)-DG	MFM804A 1PHASE(0.5%)-DG	9500.00
MFM804A- 1PH(0.5%)-RS	MFM804A 1PHASE(0.5%)-RS	9800.00
MFM804A- 1PH(0.5%)-AL	MFM804A 1PHASE(0.5%)-AL	9800.00
MFM804A- 1PH(0.5)-DG-RS	MFM804A 1PHASE(0.5%)-DG-RS	10800.00
MFM804A- 1PH(0.5)-DG-RS-AL	MFM804A 1PHASE(0.5%)-DG-RS-AL	11100.00
MFM804A- 3PH(0.5%)	MFM804A 3PHASE(0.5%)	9100.00
MFM804A-3PH(0.5%)-DG	MFM804A 3PHASE(0.5%)-DG	9600.00
MFM804A- 3PH(0.5%)-RS	MFM804A 3PHASE(0.5%)-RS	9900.00
MFM804A- 3PH(0.5%)-AL	MFM804A 3PHASE(0.5%)-AL	9900.00
MFM804A- 3PH(0.5%)-DG-RS	MFM804A 3PHASE(0.5%)-DG-RS	10900.00
MFM804A-3PH(0.5%)-DG-RS-AL	MFM804A 3PHASE(0.5%)-DG-RS-AL	11200.00

CONVERTER USB

MODEL	DESCRPITION	MRP
NT-RS-USB-01	RS485TOUSB CONVERTER	5670.00
NT-RS-USB-02	RS485TOUSB CONVERTER(Compact Model)	3654.00
NGATE-PRO-V5	Ethernet to Serial Converter	11340.00

ENERGY METER-COUNTERTYPE

MODEL	DESCRPITION	MRP
EM-34	ELECTRONICENERGY–Three Phase Three element Four Wire Only kWh(6 digit)	On Request

ENERGY METER- LCD DISPLAY

MODEL	DESCRPITION	MRP
EM3060-1PH	DIGITAL ENERGY–Single PhaseTwo Wire only kWh	2850.00
EM3060-1PH-RS	DIGITALENERGY–Single Phase Two Wire only kWhwith RS485	3650.00
EM3060-1PH-DG	DIGITALENERGY–Single Phase TwoWire only kWh with DG	3350.00
EM3060-1PH-DG-RS	DIGITALENERGY–Single Phase Two Wire only kWh with DG&Rs485	4150.00
EM3060-3PH	DIGITALENERGY-Three Phase Three Element Four Wire only kWh	3000.00
EM3060-3PH-RS	DIGITALENERGY-Three Phase Three Element Four Wire only kWhwithRS485	3800.00
EM3060-3PH-DG	DIGITALENERGY-ThreePhaseThreeElementFourWire only kWhwithDG	3500.00
EM3060-3PH-DG-RS	DIGITALENERGY-ThreePhaseThreeElementFourWire only kWhwithDG&RS485	4300.00
EM3060-3PH-VA	DIGITALENERGY-ThreePhaseThreeElementFourWire kWh, Volt & Amp.	3150.00
EM3060-3PH-VA-RS	DIGITALENERGY-ThreePhaseThreeElementFourWire kWh, Volt&Ampwith RS485.	3950.00
EM3060-3PH-VA-DG	DIGITALENERGY-ThreePhaseThreeElementFourWire kWh, Volt&AmpwithDG.	3650.00
EM3060-3PH-VA-DG-RS	DIGITALENERGY-ThreePhaseThreeElementFourWire kWh, Volt&AmpDG&RS485.	4450.00
EM3061-3PH	KWh+ kWh+	4200.00
EM3061-3PH-VA	KWh+ kWh+ Volt&Amp	4300.00
EM3061-3PH-VA-RS	KWh+kVah+ Volt & AmpwithRS485	5200.00
EM3061-3PH-VA-DG	KWh+kVah+ Volt & AmpwithDG	4880.00
EM3061-3PH-VA-DG-RS	KWh+kVah+ Volt & AmpwithDG&RS485	5720.00
EM3063-3PH	A+ V +Hz+ PF+kW+kVA+kVAr+kWh+kVAh	5200.00
EM3063-3PH-RS	A+V+Hz+PF+kW+kVA+kVAr+kWh+kVAh+RS485	6195.00
EM3063-3PH-DG	A+V+Hz+PF+kW+kVA+kVAr+kWh+kVAh+DG	5880.00
EM3063-3PH-DG-RS	A+V+Hz+PF+kW+kVA+kVAr+kWh+kVAh+DG+RS485	6720.00

ENERGYMETER-LED DISPLAY

MODEL	DESCRIPTION	MRP
EM3010-1PH	Digital energy–single phase two wire, only kwh	2800.00
EM3010-1PH-RS	Digital energy–single phase two wire only kwh with Rs485	3600.00
EM3010-1PH-DG	Digital energy–single phase two wire only kwh with DG	3300.00
EM3010-1PH-DG-RS	Digital energy–single phase two wire only kwh with DG & Rs485	4100.00
EM3010-3PH	Digital energy-three phase three element four wire only kwh	2900.00
EM3010-3PH-RS	Digital energy-three phase three element four wire only kwh with Rs485	3700.00
EM3010-3PH-DG	Digital energy-three phase three element four wire only kwh with DG	3400.00
EM3010-3PH-DG-RS	Digital energy-three phase three element four wire only kwh with dg&rs485	4200.00
EM3011-3PH-VA	digitalenergy-threephase threeelementfourwirekwh,volt& amp.	3050.00
EM3011-3PH-VA-RS	digitalenergy-three phase three element four wirekwh,volt& ampwithrs485.	3850.00
EM3011-3PH-VA-DG	Digital energy -threephase threeelementfourwirekwh,volt& ampwithdg.	3550.00
EM3011-3PH-VA-DG-RS	digitalenergy-threephase threeelementfourwirekwh,volt& ampdg&rs485.	4350.00
EM3013-3PH	A+ V +Hz+ PF+kW+kVA+kVA _r +kWh+kVAh	5000.00
EM3013-3PH-RS	A+V+Hz+PF+kW+kVA+kVA _r +kWh+kVAh+Rs 485	5800.00
EM3013-3PH--DG	A+V+Hz+PF+kW+kVA+kVA _r +kWh+kVAh+DG	5500.00
EM3013-3PH-DG-RS	A+V+Hz+PF+kW+kVA+kVA _r +kWh+kVAh+DG+Rs485	6300.00

ENERGYMETER-LED DISPLAY (Advance)

EM3010A-1PH(0.5%)	ENERGY METER 1PHASE 96*96 (0.5%)	3700.00
EM3010A-1PH(0.5%)-DG	ENERGY METER 1PHASE 96*96(0.5%)-DG	4200.00
EM 3010A- 1PH(0.5%)-RS	ENERGY METER 1PHASE 96*96(0.5%)-RS	4500.00
EM 3010A- 1PH(0.5%)-AL	ENERGY METER 1PHASE 96*96(0.5%)-AL	4500.00
EM 3010A- 1PH(0.5)-DG-RS	ENERGY METER 1PHASE 96*96(0.5%)-DG-RS	5000.00
EM 3010A- 1PH(0.5)-DG-RS-AL	ENERGY METER 1PHASE 96*96(0.5%)-DG-RS-AL	7800.00
EM 3010A- 3PH (0.5%)	ENERGY METER 3PHASE 96*96(0.5%)	3800.00
EM 3010A- 3PH(0.5%)-DG	ENERGY METER 3PHASE 96*96(0.5%)-DG	4300.00
EM 3010A- 3PH(0.5%)-RS	ENERGY METER 3PHASE 96*96(0.5%)-RS	4600.00
EM 3010A- 3PH(0.5%)-AL	ENERGY METER 3PHASE 96*96(0.5%)-AL	4600.00
EM 3010A- 3PH(0.5%)-DG-RS	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS	5100.00

EM 3010A-3PH(0.5%)-DG-RS-AL	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS-AL	5900.00
EM 3011A-3PH (0.5%)	ENERGY METER 3PHASE 96*96(0.5%)	3950.00
EM 3011A-3PH(0.5%)-DG	ENERGY METER 3PHASE 96*96(0.5%)-DG	4450.00
EM 3011A-3PH(0.5%)-RS	ENERGY METER 3PHASE 96*96(0.5%)-RS	4750.00
EM 3011A-3PH(0.5%)-AL	ENERGY METER 3PHASE 96*96(0.5%)-AL	4750.00
EM 3011A-3PH(0.5%)-DG-RS	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS	5250.00
EM 3011A-3PH(0.5%)-DG-RS-AL	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS-AL	6050.00
EM 3013A-3PH (0.5%)	ENERGY METER 3PHASE 96*96(0.5%)	5900.00
EM 3013A-3PH(0.5%)-DG	ENERGY METER 3PHASE 96*96(0.5%)-DG	6400.00
EM 3013A- 3PH(0.5%)-RS	ENERGY METER 3 PHASE 96*96(0.5%)-RS	6700.00
EM 3013A-3PH(0.5%)-AL	ENERGY METER 3PHASE 96*96(0.5%)-AL	6700.00
EM 3013A-3PH(0.5%)-DG-RS	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS	7200.00
EM 3013A-3PH(0.5%)-DG-RS-AL	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS-AL	8000.00

ENERGYMETER-LCD DISPLAY (Advance)

EM 3060A-1PH (0.5%)	ENERGY METER 1PHASE 96*96(0.5%)	3750.00
EM 3060A- 1PH(0.5%)-DG	ENERGY METER 1PHASE 96*96(0.5%)-DG	4250.00
EM 3060A-1PH(0.5%)-RS	ENERGY METER 1PHASE 96*96(0.5%)-RS	4550.00
EM 3060A- 1PH(0.5%)-AL	ENERGY METER 1PHASE 96*96(0.5%)-AL	4550.00
EM 3060A-1PH (0.5)-DG-RS	ENENERGY METER 1PHASE 96*96(0.5%)-DG-RS	5050.00
EM 3060A-1PH(0.5)-DG-RS-AL	ENERGY METER 1PHASE 96*96(0.5%)-DG-RS-AL	5850.00
EM 3060A-3PH (0.5%)	ENERGY METER 3PHASE 96*96(0.5%)	3900.00
EM 3060A -3PH(0.5%)-DG	ENERGY METER 3PHASE 96*96(0.5%)-DG	4400.00
EM3060A-3PH(0.5%)-RS	ENERGY METER 3PHASE 96*96(0.5%)-RS	4700.00
EM 3060A-3PH (0.5%)-AL	ENERGY METER 3PHASE 96*96(0.5%)-AL	4700.00
EM 3060A-3PH(0.5%)-DG-RS	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS	5200.00
EM 3060A-3PH(0.5%)-DG-RS-AL	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS-AL	6000.00
EM 3060VA A-3PH (0.5%)	ENERGY METER 3PHASE 96*96(0.5%)	4050.00
EM 3060VA A-3PH(0.5%)-DG	ENERGY METER 3PHASE 96*96(0.5%)-DG	4550.00
EM 3060VA A-3PH(0.5%)-RS	ENERGY METER 3PHASE 96*96(0.5%)-RS	4850.00
EM 3060VA A-3PH(0.5%)-AL	ENERGY METER 3PHASE 96*96(0.5%)-AL	4850.00
EM 3060VA A-3PH(0.5%)-DG-RS	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS	5350.00
EM 3060VA A-3PH(0.5%)-DG-RS-AL	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS-AL	6150.00
EM 3063A-3PH (0.5%)	ENERGY METER 3PHASE 96*96(0.5%)	6100.00
EM 3063A-3PH(0.5%)-DG	ENERGY METER 3PHASE 96*96(0.5%)-DG	6600.00
EM 3063A-3PH(0.5%)-RS	ENERGY METER 3PHASE 96*96(0.5%)-RS	6900.00
EM 3063A-3PH(0.5%)-AL	ENERGY METER 3PHASE 96*96(0.5%)-AL	6900.00

EM 3063A-3PH(0.5%)-DG-RS	ENERGY METER 3PHASE 96*96(0.5%)-DG-RS	7400.00
EM 3063A-3PH(0.5%)-DG-RS-AL	ENERGY METER 3 PHASE 96*96(0.5%)-DG-RS-AL	8200.00

**SMARTLOADMANAGER/DEMANDCONTROLLER(2Relay&4
Relay)(Accuracy0.5%)(LED)**

MODEL	DESCRPITION	MRP
SL-6300	Smart load manage rplus	8050.00
SL-6300-RS	Smart load manager plus with rs485	8850.00
SL-6300-DS	Smart load manager plus withDual Source	9000.00
SL-6300-DS-RS	Smart load manager plus with DualSource & RS485	9350.00
SL-6300-DS-AL	SmartloadmanagerpluswithDualSource&Alarm	9350.00
SL-6300-DS-AL-RS	SmartloadmanagerpluswithDualSource&Alarm& RS485	10150.00
SL-6300MDC-2Relay	Maximum Demand Controller (TwoRelay)	12000.00
SL-6300MDC-2Relay-RS	Maximum Demand Controller (TwoRelay) with Rs485	12800.00
SL-6300MDC-4Relay	Maximum Demand Controller (FourRelay)	14000.00
SL-6300MDC-4Relay-RS	Maximum Demand Controller (FourRelay) with RS485	14800.00
SL6300MDC-2RELAY- AL(0.5S)	SMART LOAD MANAGER MDC 96*96 2RELAY WITH ALARM(0.5S)	14200.00
SL6300MDC-2RELAY-RS-AL(0.5S)	SMART LOAD MANAGER MDC 96*96 2RELAY WITH ALARM RS485(0.5S)	15000.00
SL6300MDC-4RELAY- AL(0.5S)	SMART LOAD MANAGER MDC 96*96 4RELAY WITH ALARM(0.5S)	15700.00
SL6300MDC- 4RELAY - RS-AL(0.5S)	SMART LOAD MANAGER MDC 96*96 4RELAY WITH ALARM RS485(0.5S)	16500.00

DIGITAL FREQUENCY METER WITH RELAY O/P

MODEL	DESCRPITION	MRP
DF-R	Digital High/Low Hz Cut off meter with RelayO/P	4700.00

STATIC VAR GENERATOR (SVG)

MODEL	DESCRPITION	MRP
30KVAR	440x160x480mm	94,500.00
50KVAR	500x191x582mm	1,57,500.00
100KVVAr	500x271x553mm	3,04,500.00

DIGITAL AUTOMATIC POWERFACTOR CONTROLLER RELAY 1CT MODEL (LED)

Power Factor controller relay (PFCR)-**3Phase** 1ct (415V)size 96x96mm,panelcutout 91x91mm

MODEL	DESCRIPTION	MRP
APFC-414-4R	4stage relay	7550.00
APFC-414-4R-PRO	4stagerelay-pro	On Request
APFC-414-6R	6stage relay	9100.00
APFC-414-6R-PRO	6stagerelay-pro	On Request
APFC-414-8R	8stage relay	11000.00
APFC-414-8R-PRO	8stagerelay-pro	On Request
APFC-414-10R	10stagerelay	11500.00
APFC-414-10R-PRO	10stagerelay-pro	On Request
APFC-414-12R	12stagerelay	12900.00
APFC-414-12R-PRO	12stagerelay-pro	On Request

DIGITAL AUTOMATIC POWERFACTOR CONTROLLER RELAY 1CT MODEL (LED)

Power Factor controller relay (PFCR)-**1Phase** 1ct (220V) size 96x96mm,panelcutout 96x91mm

MODEL	DESCRIPTION	MRP
APFC-414-4R	4stage relay	7450.00
APFC-414-4R-PRO	4stagerelay-pro	On Request
APFC-414-6R	6stage relay	9150.00
APFC-414-6R-PRO	6stagerelay-pro	On Request
APFC-414-8R	8stage relay	10900.00
APFC-414-8R-PRO	8stagerelay-pro	On Request
APFC-414-12R	12stagerelay	13100.00
APFC-414-12R-PRO	12stagerelay-pro	On Request

DIGITAL AUTOMATIC POWER FACTOR CONTROLLER RELAY 1CT MODEL (LED)

Power Factor controller Relay (PFCR)-**3Phase** 1ct(415V)size144X144MM,Panelcutout132x132mm

MODEL	DESCRIPTION	MRP
APFC-414-144-6R	6stage relay	9700.00
APFC-414-144-8R	8stage relay	11500.00
APFC-414-144-12R	12stagerelay	13900.00
APFC-414-144-16R	16stagerelay	17500.00

DIGITAL AUTOMATIC POWER FACTOR CONTROLLER RELAY 1CT MODEL (LED)

Power Factor controller Relay (PFCR)-**1Phase** 1ct (220V) Size 144X144MM, Panel cutout132x132mm

MODEL	DESCRIPTION	MRP
-------	-------------	-----

APFC-414-144-6R	6stage relay	9500.00
APFC-414-144-8R	8stage relay	11400.00
APFC-414-144-12R	12stagerelay	13750.00

**DIGITAL AUTOMATIC POWER FACTOR CONTROLLER RELAY 1CT -1PH MODEL LED
(Algorithm Suitable for Capacitor & Shunt Inductor for lagging & leading Compensation)
ADVANCE**

Power Factor controller relay (PFCR)-**1Phase** 1ct 1Display led (220V) size 96x96mm, panel cutout 96x91mm

PQ-6A-96 (1PH-1CT)8R	PQ-6A(96*96) 1PH- 1CT 8 STAGE -230V	12000.00
PQ- 6A-96 (1PH-1CT)12R	PQ-6A(96*96) 1PH- 1CT 12 STAGE- 230V	13500.00
PQ-9A-144 (1PH-1CT) 8R	PQ-9A(144x144) 1PH-1CT 8 STAGE-230V	13000.00
PQ-9A-144 (1PH-1CT) 12R	PQ-9A(144x144) 1PH-1CT 12 STAGE-230V	14500.00
PQ-9A-144 (1PH-1CT) 16R	PQ-9A(144x144) 1PH-1CT 16 STAGE-230V	19000.00

*ALRAM EXTRA 800/- Each

* RS485 EXTRA 800/- Each

**DIGITAL AUTOMATIC POWER FACTOR CONTROLLER RELAY1CT MODEL (LED) THYRISTOR
CONTROLLED**

Power Factor controller relay (PFCR)-**1Phase** 1ct (220V) size 96x96mm, panel cutout 91x91mm

PQ-6T-96 (1PH-1CT) 8R	PQ-6T(96*96) 1PH- 1CT8 STAGE- 230V (THYRISTOR CONTROLLED)	12650.00
PQ-6T -96 (1PH-1CT) 12R	PQ-6T(96*96) 1PH-1CT 12 STAGE -230V(THYRISTOR CONTROLLED)	14850.00
PQ-9T-144 (1PH-1CT) 8R	PQ-9T(144*144) 1PH-1CT 8 STAGE-230V (THYRISTOR CONTROLLED)	13650.00
PQ-9T-144 (1PH-1CT) 12R	PQ-9T(144*144) 1PH-1CT 12 STAGE-230V (THYRISTOR CONTROLLED)	15850.00
PQ-9T-144 (1PH-1CT) 16R	PQ-9T(144*144) 1PH-1CT 16 STAGE-230V (THYRISTOR CONTROLLED)	21000.00

*ALRAM EXTRA 800/- Each

* RS485 EXTRA 800/- Each

**DIGITAL AUTOMATIC POWER FACTOR CONTROLLER RELAY 3CT - MODEL LCD (Algorithm of
3CT Suitable for Capacitor & Shunt Inductor for lagging & leading Compensation)
ADVANCE**

Power Factor controller relay (PFCR)-3 Phase 3ct LCD Size 144x144mm, panel cutout 132x132mm

PQ-903A -144 (3PH-3CT) 8R	PQ-903A(144*144) 3PH-3CT 8 STAGE-415V	14500.00
PQ-903A-144(3PH-3CT) 12R	PQ-903A(144*144) 3PH-3CT 12 STAGE-415V	19000.00
PQ-903A-144(3PH-3CT) 16R	PQ-903A(144*144) 3PH-3CT 16 STAGE-415V	21000.00
PQ-903A-144 (3PH-3CT) 18R	PQ-903A(144*144) 3PH-3CT 18 STAGE-415V	On Request

*ALRAM EXTRA 800/- Each

* RS485 EXTRA 800/- Each

DIGITAL AUTOMATIC POWER FACTOR CONTROLLER RELAY1CT MODEL (LED) THYRISTOR CONTROLLED

Power Factor controller relay (PFCR)-3CT Size 144x144mm, Panel cutout 132x132mm

PQ-903T-144 (3PH-3CT)8R	PQ-903T(144*144) 3PH-3CT 8 STAGE-415V (THYRISTOR CONTROLLED)	15500.00
PQ-903T-144 (3PH-3CT) 12R	PQ-903T(144*144) 3PH-3CT 12 STAGE-415V (THYRISTOR CONTROLLED)	20000.00
PQ-903T-144 (3PH-3CT) 16R	PQ-903T(144*144) 3PH-3CT 12 STAGE-415V (THYRISTOR CONTROLLED)	22000.00

*ALRAM EXTRA 800/- Each

* RS485 EXTRA 800/- Each

SHUNT REACTOR /THYRISTOR SWITCH MODULE

NP-415-SR-5KVAR	5KVAR	On Request
NP-415-SR-10KVAR	10KVAR	On Request
NP-415-SR-25KVAR	25KVAR	On Request
NP-415-SR-35KVAR	35KVAR	On Request
NP-415-SR-50KVAR	50KVAR	On Request
NP-415-SR-75KVAR	75KVAR	On Request
NP-415-SR-100KVAR	100KVAR	On Request

THYRISTOR SWITCH MODULE

NP-TSM-15 kVAR	15 kVAR	On Request
NP-TSM-25 kVAR	25 kVAR	On Request
NP-TSM-50kVAR	50kVAR	On Request

NP-TSM-100 kVAr	100 kVAr	On Request
-----------------	----------	------------

DETUNED REACTOR

NP-415-DT-5KVAR	5 kVAr	On Request
NP-415-DT-10KVAR	10 kVAr	On Request
NP-415-DT-15KVAR	15 kVAr	On Request
NP-415-DT-20KVAR	20 kVAr	On Request
NP-415-DT-25KVAR	25 kVAr	On Request
NP-415-DT-50KVAR	50 kVAr	On Request
NP-415-DT-75KVAR	75 kVAr	On Request
NP-415-DT-100KVAR	100 kVAr	On Request

DIGITAL AUTOMATIC POWER FACTOR CONTROLLER RELAY-3PH/3CT SENSING –MFM

PARAMETER-THD%

MODEL	DESCRPITION	MRP
UNO-6R	6 Stage Relay	11000.00
UNO-6R-RS	6 Stage Relay with RS485	11800.00
UNO-6R-KWH-RS	6 Stage Relay with kWh & RS485	12500.00
UNO-8R	8 Stage Relay	13500.00
UNO-8R-RS	8Stage Relay with RS485	14300.00
UNO-8R-KWH-RS	8 Stage Relay with kwh& RS485	15100.00
UNO-12R	12 Stage Relay	18500.00
UNO-12-RS	12 Stage Relay with RS485	19300.00
UNO-12R-KWH-RS	12 Stage Relay with kwh & RS485	20100.00

DIGITAL ANALYSIS 3PHASE /3CT SENSING LCD MODEL

MODEL	DESCRPITION	MRP
APFC36L-144-6R	6stagerelay	12500.00
APFC36L-144-8R	8stagerelay	15500.00
APFC36L-144-12R	12stagerelay	20000.00
APFC36L-144-16R	16stagerelay	22500.00

SMART SENSE IOT PLATFORM

MODEL	DESCRIPTION	MRP
GPRS4G-P	4GGSMGatewaypanelmounting96x96with Antenna +powersupply	26000.00
GPRS4G-W	4GGSMGatewayWallmountingExternalwith Antenna +powersupply	26000.00
NG-9W-WF	4GGatewayWallmountingWifi	26000.00
NG-9W-EN	4GGatewayWallmountingEthernet	26000.00

- Sim Card Not Included
- SimCard has to be Gsm Type Either Vodafone,Airtel,Bsnl
- Jio Sim Not Suitable

ANALOG METERS

MOVING IRON AC PANEL METERS

RANGE	SIF48	SIF 72	SIF96	SIF144
	48x48mm	72x72mm	96x96mm	144x144mm
	Panelcutout	Panelcutout	Panelcutout	Panel cutout
	45x45mm	68x68mm	45x45mm	138x138mm
VOLTMETERS				
ANYSINGLERange10Vto300V	451.00	385.00	465.00	650.00
ANYSINGLERange500Vto600V	465.00	450.00	465.00	695.00
AMMETER				
ANYSINGLERANGE50mAto 30Aor1A	410.00	355.00	410.00	640.00
ANYSINGLERANGE50Ato100A	410.00	440.00	451.00	670.00
C.T.OPERATED5A	440.00	385.00	440.00	660.00

*for Suppress 30/-Extra

MOVING COIL DC PANEL METERS ACC: 1.5% IS1248/83

RANGE	SIF48 48x48mm Panelcutout 45x45mm	SIF 72 72x72mm Panelcutout 68x68mm	SIF96 96x96mm Panelcutout 45x45mm	SIF144 144x144mm Panelcutout 138x138mm
VOLTMETERS				
ANYSINGLERange50mVto 600V	627.00	585.00	630.00	1080.00
AMMETER				
ANYSINGLERANGE1mAto30A	627.00	585.00	630.00	1070.00
ANYSINGLERANGE50Ato 5000A	627.00	585.00	630.00	1070.00
WithExt.Shunt75mVBasic	627.00	630.00	630.00	1070.00

SHUNT

SHUNT50Mv/60mV/75mV	ACC :1.0%IS	1248/84
---------------------	-------------	---------

RangeAmps	MRP	Range Amps	MRP	RangeAmps	MRP
5Ato30A	210.00	200A	705.00	750A	1400.00
40Ato50A	245.00	250A	705.00	1000A	1960.00
60Ato75A	285.00	300A	840.00	1200&1250A	2236.00
100A	355.00	400A	1125.00	1500A	2795.00
125A	420.00	500A	1125.00	2000A	4180.00
150A	420.00	600A	1265.00	2500A	4466.00

EARTH TESTER (HAND DRIVEN GENERATOR TYPE METAL BODY) IS 9223-89

	MODEL	MRP
RANGES IN Ohms		
EARTHTESTER4TERMINALTYPE (Suitable for measuring Earth Resistance and specific Soil RESISTIVITY)		
Single Range Anyone Single Range 3,10,50,100,500,1000	SET	3060.00
Dual Range Anyone Dual Range 3/30,5/50,10/100,30/300,50/500,100/1000	DET	3810.00
Testingkitforearthtester4terminaltype accessoriesincludes: 1xhammer1xscrewdriver4xspikes8x crocodile clip 4 x wire		1200.00

Note: Earth Tester Includes Carrying case and Instruction manual

**INSULATION TESTER (HANDDRIVENGENERATOR TYPETEMETAL /POLYCARBONATEBODY)
IS2992-87**

RATEDVOLTAGE	RATEDRESISTANCE	ABS Body		MetelBody	
		MODEL	MRP	MODEL	MRP
100 VOLTS	20Mega ohms	NITA 102	2105.00	NITM-102	3165.00
100 VOLTS	100Mega ohms	NITA 100	2635.00	NITM-100	4135.00
500 VOLTS 1000VOLTS	100Mega ohms	NITA 5010 NITA 10020	2310.00	NITM-5010	3415.00
	200Mega ohms		2310.00	NITM-10020	3415.00
	1000Megaohms			NITM-100100	4015.00
	2000Megaohms			NITM-100200	4015.00
2500VOLTS(METAL)	5000Megaohms			ITHV-2550	5715.00
5000VOLTS(METAL)	Upto10000Mega ohms 2000Megaohms			ITHV-50100	7715.00
				ITHV-50200	8915.00

Model	Description	Mrp
414DET	20Megaohms to2000 Megaohms • No Accessories	5500.00

DIGITALINSULATIONTESTER

Model	Description	Mrp
306DIT	100V/500VFOR100Megaohms/1000Megaohms/2000MegaOhms 250V/500V/1000Vfor200Megaohms/1000Megaohms/2000MegaOhms	4900.00

HIGHVOLTAGEDIGITALINSULATIONTESTER

Model	Description	Mrp
HV50200	Ranges500V DC/10gohms,1000V DC/50G ohms,2500V DC /100 G ohms,5000VDC/200G ohms	On Request

STANDARD TAPE WOUND AND ABS RING TYPE CT's

Current Transformers low Tension Bar Primary (Ring Type tape insulated CT are secondary Coil wound on Toroidal of High permeability Silicon Steel) Accuracy Class as perIS2705/1981BSS3983/1973

ABS RING

RING	ID	OD	HT	Accuracy	VABURDEN	MRP
30/5	33	66	36	5%	3	510.00
50/5	33	66	36	5%	3	510.00
60/5	33	66	36	5%	3	510.00
75/5	33	66	36	5%	3	510.00
100/5	33	66	36	1.0%	5	510.00
150/5	33	66	36	1.0%	5	510.00

200/5	33	66	36	1.0%	5	525.00
250/5	33	66	36	1.0%	5	525.00
200/5	46	76	36	1.0%	5	545.00
250/5	46	76	36	1.0%	5	545.00
300/5	45	76	36	1.0%	5	590.00
300/5	60	100	36	1.0%	10	590.00
400/5	60	100	36	1.0%	10	590.00
500/5	60	100	36	1.0%	10	600.00
600/5	60	100	36	1.0%	10	610.00
800/5	80	100	36	1.0%	10	850.00
1000/5	80	100	36	1.0%	15	960.00
1200/5	80	100	36	1.0%	15	1060.00
1500/5	100	135	36	1.0%	15	1350.00
1600/5	100	135	36	1.0%	15	1410.00
2000/5	100	135	36	1.0%	15	1640.00
2500/5	100	135	36	1.0%	15	1770.00
3000/5	100	135	36	1.0%	15	1890.00

Note :-TERMINAL TYPE CT- 75/- NETT EXTRA

ODD RANGE ID @120 NETT EXTRA

Square NE CT

TYPE	RATIO	WINDOW DIMENTION FORBUSBAR (mm)	OVERALL DIMENSION (HxWxTH)	VA BURDEN	MRP
301	30/5A	30X10	70X49X32	1	470.00
301	50/5A	30X10	70X49X32	1	470.00
301	60/5A	30X10	70X49X32	1	470.00
301	75/5A	30X10	70X49X32	1	470.00
301	80/5A	30X10	70X49X32	1	470.00
301	100/5A	30X10	70X49X32	1	470.00
301	125/5A	30X10	70X49X32	1	470.00

301	150/5A	30X10	70X49X32	1	470.00
301	150/5A	30X10	70X49X32	2.5	470.00
301	200/5A	30X10	70X49X32	2.5	470.00
301	250/5A	30X10	70X49X32	2.5	470.00
301	300/5A	30X10	70X49X32	2.5	470.00
301	400/5A	30X10	70X49X32	5	470.00
401	150/5A	40X12	78X60X32	2.5	550.00
401	200/5A	40X12	78X60X32	2.5	550.00
401	250/5A	40X12	78X60X32	2.5	550.00
401	300/5A	40X12	78X60X32	2.5	550.00
401	400/5A	40X12	78X60X32	5	550.00
401	500/5A	40X12	78X60X32	5	550.00
401	600/5A	40X12	78X60X32	5	550.00
601	400/5A	60X10	108X85X32	10	820.00
601	500/5A	60X10	108X85X32	10	820.00
601	600/5A	60X10	108X85X32	10	840.00
601	600/5A	60X10	108X85X32	15	840.00
601	800/5A	60X10	108X85X32	10	860.00
601	800/5A	60X10	108X85X32	15	860.00
601	1000/5A	60X10	108X85X32	10	860.00
601	1000/5A	60X10	108X85X32	15	860.00
601	1500/5A	60X10	108X85X32	15	860.00
601	1600/5A	60X10	108X85X32	15	860.00
801	400/5A	60X10	122X100X40	5	1290.00

801	500/5A	60X10	122X100X40	5	1290.00
801	600/5A	80X10	122X100X40	5	1290.00
801	800/5A	80X10	122X100X40	10	1290.00
801	800/5A	80X10	122X100X40	15	1290.00
801	1000/5A	80X10	122X100X40	10	1290.00
801	1000/5A	80X10	122X100X40	15	1290.00
801	1200/5A	80X10	122X100X40	10	1290.00
801	1200/5A	80X10	122X100X40	15	1290.00
801	1500/5A	80X10	122X100X40	10	1290.00
801	1500/5A	80X10	122X100X40	15	1290.00
801	1600/5A	80X10	122X100X40	10	1290.00
801	1600/5A	80X10	122X100X40	15	1290.00
801	2000/5A	80X10	122X100X40	10	1290.00
801	2000/5A	80X10	122X100X40	15	1290.00
1001	800/5A	100X30	160X135X40	10	1590.00
1001	800/5A	100X30	160X135X40	15	1590.00
1001	1000/5A	100X30	160X135X40	15	1590.00
1001	1200/5A	100X30	160X135X40	15	1590.00
1001	1500/5A	100X30	160X135X40	15	1590.00
1001	1600/5A	100X30	160X135X40	15	1590.00
1001	2000/5A	100X30	160X135X40	30	1590.00
1001	2000/5A	100X30	160X135X40	15	1590.00
1001	2500/5A	100X30	160X135X40	30	1590.00
1001	2500/5A	100X30	160X135X40	30	1590.00

1001	3000/5A	100X30	160X135X40	30	1590.00
1001	4000/5A	100X30	160X135X40	30	1590.00

Note:1)For 1A Secondary Upto Ratio 1000A Extra Price 180.00

2) Mounting bracket for PCT Extra Price 30.00

Terms & Conditions

- 1. Prices Are Ex-Works**
- 2. Gst : At Actuals**
- 3. Freight Extra as Applicable.**