



AN ISO 9001 : 2015 COMPANY

PRICE LIST

w.e.f. December 2025



SWITCH CONTROL (INDIA)

L. V. SWITCH GEAR & CONTROL GEAR

Advancing Switch Control Integration

I N D E X

CONTENTS	PAGE NO.
■ METAL CLAD PLUGS & SOCKETS.....	02
■ H.R.C. FUSE BASES OPEN TYPE.....	02
■ H.R.C. FUSE HOLDERS.....	02
■ 22.5 mm DIA PTR SERIES PUSH BUTTON & SELECTOR ACTUATORS.....	03
■ 22.5 mm DIA PTR SERIES CONTACT ELEMENTS.....	03
■ 22.5 mm DIA PTR SERIES LUMINOUS ACTUATORS.....	03
■ 22.5 mm DIA PTR SERIES PILOT LIGHTS (INCLUDING L.E.D TYPE).....	04
■ 22.5 mm DIA PTR SERIES PUSH BUTTON STATIONS.....	04
■ 22.5 mm DIA PTR SERIES SPARES AND ACCESSORIES.....	04
■ 22.5 mm PUSH BUTTON UNITS (PLASTIC BODY).....	05
■ 22.5 mm PUSH BUTTON UNITS (SHEET METAL HOUSING).....	05
■ SOLID STATE BUZZERS.....	05
■ FUSE LINK.....	05
■ CAM OPERATED ROTARY SWITCHES (6A).....	06
■ AMMETER SELECTOR SWITCHES.....	07
■ VOLTMETER SELECTOR SWITCHES.....	07
■ CAM OPERATED ROTARY SWITCHES (10A, 16A, 25A, 32A, 40A, 63A,80A).....	08
■ CAM OPERATED ROTARY SWITCHES (100A, 125A, 160A, 200A, 250A, 300A).....	09
■ CAM OPERATED ROTARY SWITCHES MOTOR DUTY APPLICATIONS.....	10
■ CAM OPERATED ROTARY SWITCHES FORWARD-OFF-REVERSE, PHASE CHANGEOVERS	10
■ CAM OPERATED ROTARY SWITCHES FOR CHANGEOVER & METAL BOX ENCLOSURES.....	11
■ SWITCHES WITH METAL BOX.....	11
■ SPRING RETURN SWITCHES.....	11
■ CAM OPERATED ROTARY SWITCH SPARES,.....	12
■ TERMS AND CONDITIONS	11

METAL CLAD PLUGS & SOCKETS (ALUMINIUM DIE CAST) TYPE-SC

DESCRIPTION	RATING AMPS.	CAT NO.	UNIT PRICE	STD. PACKING
PLUGS				
2 Pole + Earth, 250V	10 A	DP10	136.00	20
2 Pole + Earth, 250V	20 A	DP20	160.00	20
3 Pole + Earth, 440V	20 A	TP20	200.00	20
3 Pole + Earth, 440V	30 A	TP30	400.00	12
SOCKETS				
2 Pole + Earth, 250V	10 A	DS 10	145.00	20
2 Pole + Earth, 250V	20 A	DS 20	185.00	20
3 Pole + Earth, 440V	20 A	TS 20	230.00	20
3 Pole + Earth, 440V	30 A	TS 30	430.00	12



PLUGS & SOCKETS IN SHEET STEEL ENCLOSURE (WITHOUT MCB)



DESCRIPTION	RATING AMPS.	CAT NO.	UNIT PRICE	STD. PACKING
2 Pole + Earth, 250V Plug & Socket In S.S. Enclosure	10A	DPSB10	900.00	01
2 Pole + Earth, 250V Plug & Socket In S.S. Enclosure	20A	DPSB20	1000.00	01
3 Pole + Earth, 250V Plug & Socket In S.S. Enclosure	20A	TPSB 20	1350.00	01
3 Pole + Earth, 250V Plug & Socket In S.S. Enclosure	30A	TPSB 30	1750.00	01

HRC FUSE BASES TYPE FBO

DESCRIPTION	CAT NO.	UNIT PRICE	STD.
160 Amps In Bakelite Moulding With Circlip Contact	FBO-160C	290.00	10
250 Amps In Bakelite Moulding With Circlip Contact	FBO-250C	850.00	01
400 Amps In Bakelite Moulding With Circlip Contact	FBO-400C	1200.00	01
630 Amps In Bakelite Moulding With Circlip Contact	FBO-630C	1800.00	01
160 Amps In DMC Moulding With Circlip Contact	FBO-160CD	320.00	10
250 Amps In DMC Moulding With Circlip Contact	FBO-250CD	925.00	01
400 Amps In DMC Moulding With Circlip Contact	FBO-400CD	1350.00	01
630 Amps In DMC Moulding With Circlip Contact	FBO-630CD	1900.00	01



BAKELITE MOULDED FUSE HOLDERS TYPE SC



DESCRIPTION	CAT	UNIT PRICE	STD. PACKING
20 Amps Front Connection	SC-20H	120.00	10
20 Amps Bus Bar Connection	SC-20B	150.00	10
32 Amps Front Connection	SC-32H	230.00	10
32 Amps Bus Bar Connection	SC-32B	260.00	10
63 Amps Front Connection	SC-63H	350.00	10
63 Amps Bus Bar Connection	SC-63B	400.00	10
125 Amps Front Connection	SC-125H	790.00	10
125 Amps Bus Bar Connection	SC-125B	900.00	10

ACTUATORS WITH METALLIC FRONT RING AND BEZEL

PTR SERIES-
CUTOUT DIA 22.5 mm

DESCRIPTION	CAT NO.	UNIT PRICE	STD. PACKING
Flush Buttons -	PTR-AS	90.00	20
Flush Booted Button -	PTR-ADP	120.00	20
Projecting Button -	PTR-AU	100.00	10
Mushroom Button -	PTR-AM	130.00	10
Mushroom Stayput-Press To Lock And Turn To Release	PTR-AMS	140.00	10
Mushroom Jumbo Button Press To Lock Turn To Reset	PTR-AJB	180.00	05
Mushroom Jumbo Button Spring Return	PTR-AJBS	190.00	05
Selector Two Position Maintained	PTR-A22	145.00	10
Selector Two Position Spring Return	PTR-A22S	145.00	10
Selector Three Position Maintained	PTR-A33	145.00	10
Selector Three Position Spring Return	PTR-A33S	145.00	10
Key Selector Two Position Lockable In Bath Position	PTR-A2K	260.00	10
Key Selector Three Position Lockable In Both Position	PTR-A3K	260.00	10
Emergency Stop Press To Lock And Key To Reset	PTR-APL	390.00	10
Twin-spring Return, G Knob Marked 'I' & R Knob Marked 'O'	PTR-ATB	130.00	20



CONTACT ELEMENT SUITABLE FOR ACTUATORS

DESCRIPTION	CAT NO.	UNIT PRICE	STD. PACKING
NO Contact For Rear Connection	PTR-A1	64.00	50
NC Contact For Rear Connection	PTR-A2	64.00	50



LUMINOUS ACTUATOR WITH METALLIC FRONT RING AND BEZEL

DESCRIPTION	CAT NO.	UNIT PRICE	STD. PACKING
Luminous Spring Return Actuator, With Poly Carbonate Lens, Cluster LED, for 220V, 110V, 48V, 24V	PTR-ATR	190.00	10
Twin Luminous Spring Return Actuator With Poly Carbonate Lens And Cluster LED, For 220V, 110V, 48V, 24V	PTR-ATBLR	252.00	8
Luminous Selector 2 Position With Poly Carbonate Knob, Cluster LED For 220V, 110V, 48V, 24V	PTR-A2PLSR	244.00	10
Luminous Selector 2 Position With Poly Carbonate Knob, Cluster LED For 220V, 110V, 48V, 24V	PTR-A3PLSR	244.00	10



Note – ₹19 extra for Low Voltage Glow Protection (LVGP) circuit in LED Pilot Light

PILOT LIGHT (INCLUDING L.E.D. TYPE)



DESCRIPTION	CAT NO.	UNIT PRICE	STD. PACKING
Pilot Light With Poly Carbonate Lens, Lamp holder, LED For 220V, 110V, 48V, 24V	PTR-ALR	160.00	10
Pilot Light In Barrel Type Poly Carbonate Lens With Surface Mounted LED For 220V, 110V, 48V, 24V	PTR-AFLED	82.00	10

For Blue/White Colour Add Rs. 50 Each In The Above Prices
Colours Available are: Red, Amber, Yellow, Blue and White

PUSH BUTTON STATION

SURFACE MOUNTING ALUMINIUM CASTING

PENDANT
ALUMINIUM
CASTING
PTR-APP

DESCRIPTION	PTR-AP SERIES		PTR-APP
ONE WAY	PTR-AP1	540.00	604.00
	AP1 + AMS	660.00	
TWO WAY	PTR-APS	730.00	850.00
	AP2 + AMS	870.00	
THREE WAY	PTR-AP3	980.00	1150.00
FOUR WAY	PTR-AP4	1350.00	1550.00
SIX WAY	PTR-AP6	2350.00	2700.00
EIGHT WAY	PTR-AP8	3000.00	3450.00
TEN WAY	PTR-AP10	3500.00	4000.00
TWELVE WAY	PTR-AP12	4500.00	5200.00
FOURTEEN WAY	PTR-AP14	5000.00	5750.00
EIGHTEEN WAY	PTR-AP18	6500.00	7500.00




Standard packing is 01 for all, except PTR-AP1 which is 02

For Push Button Station With Canopy, Add 10% Extra On The Above Prices.
All Above Push Button Stations Have Flush Button With 1NO or 1NC Contact Element.
Different Actuator/Contact Block Arrangement Can Be Quoted On Request

PTR SERIES SPARES AND ACCESORIES

DESCRIPTION	CAT NO.	UNIT	STD. PACKING
Legend Plates With Inscription On, Off, Start, Stop, Forward, Reverse, Test, Accept, Emergency, Reset & Blank	PTR-ASLP	18	100
Poly Carbonate Lens Without Lens Holder Suitable For Pilot Light	PTR-ASL	23	50
Lens Holder Assembly With Poly Carbonate Lens	PTR-ASLA	106	20
Lens Holder Assembly With Poly Carbonate Lens & Ring Suitable For Luminous Light	PTR-ASILA	115	20
Filament Bulb BA-9S 2.6Watt In 130V,110V,48V,24V	PTR-ASBL	60	100
Protective Rubber Boot	PTR-ASPB	45	20
Bulb Extractor (Bulb Puller)	PTR-ASBE	45	10
Adopter for Fixing Dia 22.5 mm In Dia 30.5 mm Hole	PTR-ASAB	30	50
Blanking Plug for Dia 22.5 mm Hole	PTR-ASBP	36	50

PUSH BUTTON UNITS (PLASTIC BODY) 1NO + 1NC (PANEL CUTOUT DIA 22.5 mm)


DESCRIPTION	CAT	UNIT PRICE	STD. PACKING	
Flush Knob 1 NO + 1NC	PTR-BTH	40.00	20	 THF BTH

PUSH BUTTON UNITS (PLASTIC BODY) 1NO + 1NC (PANEL CUTOUT DIA 29.5 mm)

Flush Knob 1 NO + 1NC	PTR-AD	50.00	10	
-----------------------	--------	-------	----	---


• Colours available are : Red, Green, Yellow, Black, White and Blue

PUSH BUTTON CONTROL UNITS (PLASTIC DUAL COLOUR) WITH 1NO + 1NC (DIA 22.5 mm)

DESCRIPTION	CAT	UNIT PRICE	STD.	
One Way with BTH (Dia 22.5 mm)	PTR-P1	140.00	2	
Two Way with BTH (Dia 22.5 mm)	PTR-P2	220.00	1	
Three Way with BTH (Dia 22.5 mm)	PTR-P3	270.00	1	


Please contact to dealer for PTR-THF Push Button Control Units.

PUSH BUTTON CONTROL UNITS WITH 1NO + 1NC - POWER COATED SHEET METAL


DESCRIPTION	CAT NO.	UNIT PRICE	STD. PACKING	
One Way with BTH (Dia 22.5 mm)	PTR-AS1	190.00	2	
Two Way with BTH (Dia 22.5 mm)	PTR-AS2	270.00	1	
Three Way with BTH (Dia 22.5 mm)	PTR-AS3	370.00	1	

Please contact to dealer for PTR-THF Push Button Control Units.

SOLID STATE BUZZERS TYPE - AB

DESCRIPTION	CAT NO.	UNIT PRICE	STD. PACKING	
Moulded Housing, Suitable For 230V, 110V,48V, 24V AC (96x96)	PTR-ABA/ABD	850.00	01	
Moulded Housing, Suitable For 230V, 110V,48V, 24V AC (96x96) (MULTI TONE)	PTR-ABAM/ABDM	920.00	01	
Moulded Housing, Suitable For 230V, 110V,48V, 24V AC (72x72)	PTR-ABAS/ABDS	720.00	01	
Moulded Housing, Suitable For 230V, 110V,48V, 24V AC (72x72) (MULTI TONE)	PTR-ABAMS/ABDMS	860.00	01	

INDUSTRIAL HOOTERS TYPE-AH

DESCRIPTION	CAT NO.	UNIT PRICE	STD. PACKING	
Electronic Hooter, 24V, 48V, 110V, 230V AC/DC	PTR-EH	720.00	01	
Moulded Mechanical Hooter, Suitable for 230V, 110V, 48V, 24V AC	PTR-AHA	900.00	01	
Moulded Mechanical Hooter, Suitable for 230V, 110V, 48V, 24V AC	PTR-AHD	1040.00	01	

SCNS TYPE FUSE LINK WITH STAGGERED TAGS 415V AC

RATING AMPS.	CAT NO.	UNIT PRICE	STD. PACKING
2A	SC-NS2	48.00	20
To	To		
32A	SC-NS32		



















TYPE T-660 AC OFFSET TAGS (2 HOLE FIXING-BOLTED)

RATING AMPS.	CAT NO.	UNIT PRICE	STD. PACKING
32A	SC-TIA32	95.00	10
63A	SC-TIS63	105.00	10
100A	SC-TCP100	242.00	10
125A	SC-TCP125	280.00	10

Fuse Link Confirm to IS : 13703 IEC 269



CAM OPERATED ROTARY SWITCHES (6 AMP TYPE SC6)

SWITCHING	POLE	PROGRAMME	UNIT PRICE	SWITCHING	POLE	PROGRAMME	UNIT PRICE
ON - OFF (60°)	1	001	145	SIX WAY NO OFF (60°)	1	052	275
	2	002	176		2	072	492
	3	003	190		3	092	680
	4	004	220				
TWO WAY WITH NO - OFF	1	037	172	SIX WAY WITH OFF (45°)	1	063	374
	2	038	226		2	083	649
	3	039	270		3	103	870
	4	040	340				
TWO WAY WITH OFF (60°)	1	025	176	SEVEN WAY WITH OFF (45°)	1	064	381
	2	026	226		2	084	649
	3	027	270		3	104	833
	4	028	340				
THREE WAY NO OFF (60°)	1	049	200	SEVEN WAY WITH NO OFF (45°)	1	053	381
	2	069	275		2	073	649
	3	089	400		3	093	833
	4	120	466				
THREE WAY WITH OFF (90°)	1	060	203	EIGHT WAY WITH NO OFF (45°)	1	054	370
	2	080	275		2	074	707
	3	100	400		3	094	946
	4	131	486				
FOUR WAY NO OFF (90°)	1	050	238	EIGHT WAY WITH OFF (30°)	1	065	381
	2	070	342		2	085	707
	3	090	445				
	4	121	576				
FOUR WAY WITH OFF (60°)	1	061	235	NINE WAY WITH NO OFF (30°)	1	055	437
	2	081	361		2	075	725
	3	101	548				
	4	132	614				
FIVE WAY NO OFF (60°)	1	051	264	NINE WAY WITH OFF (30°)	1	066	432
	2	071	440		2	086	774
	3	091	500				
FIVE WAY WITH OFF (60°)	1	062	257	TEN WAY WITH OFF (30°)	1	056	459
	2	082	440		2	076	801
	3	102	576				

SWITCH CONTROL (INDIA)

L.V. SWITCHGEAR & CONTROLGEAR
AN ISO 9002:2015 COMPANY

w.e.f. 10 December 2025

PRICE LIST



CAM OPERATED ROTARY SWITCHES (SWITCHES- 6 AMPS. TYPE 'SC6)

SWITCHING	POLE	PROGRAMME	UNIT PRICE	SWITCHING	POLE	PROGRAMME	UNIT PRICE
<p>TEN WAY WITH NO OFF (30°)</p>	1	SI067	725.00	<p>ELEVEN WAY WITH OFF (30°)</p>	1	SI068	736.00
	2	SI087	860.00		2	SI088	930.00
<p>ELEVEN WAY NO OFF (30°)</p>	1	SI057	725.00	<p>TWELVE WAY NO OFF (30°)</p>	1	SI058	736.00
	2	SI077	1035.00		2	SI078	987.00

AMMETER SELECTOR SWITCHES

SWITCHING	POLE	AMPS.	TYPE	PROGRAMME	DESCRIPTION	UNIT PRICE
	03	06	SC6	SI325	To Read Current To Be Used With Ct With Off	260.00
	03	10	SC10	SI325	--Do--	312.00
	03	10	SC10	SI710	Direct Reading Ammeter Selector Switches Without Ct's	1111.00
	03	16	SC16	SI710		1178.00
	03	25	SC25	SI710		1265.00
	03	32	SC32	SI710		1370.00
	03	40	SC40	SI710		1985.00
	03	63	SC63	SI710		2190.00






VOLTMETER SELECTOR SWITCHES

SWITCHING	POLE	AMPS.	TYPE	PROGRAMME	DESCRIPTION	UNIT PRICE
	03	06	SC6	SI312	Voltage Between Phase To Phase With Off	207.00
	03	10	SC10	SI312	--Do--	248.00
	03	06	SC6	SI313	Voltage Between Phase To Phase And Phase To Neutral With Off	316.00
	03	10	SC10	SI313	--Do--	379.00
	03	06	SC6	SI311	Voltage Between Phase To Neutral With Off	355.00
	03	10	SC10	SI314	Voltage Between Phase To Phase And Phase To Neutral Without Off	660.00











AMMETER VOLTMETER COMBINED SELECTOR SWITCHES

SWITCHING	POLE	AMPS.	TYPE	PROGRAMME	DESCRIPTION	UNIT PRICE
	03	10	SC10	SI370	Voltage Between Phase To Neutral And Current Of That Phase	744.00

CAM OPERATED ROTARY SWITCHES (10 - 80 AMP)




S.NO	SWITCHING	POLE	PROGRA MME	10A SC10	16A SC16	25A SC25	32A SC32	40A SC40	63A SC63	80A SC80
	ON - OFF	1	SI195	174	280	350	403	600	690	1200
	OFF	2	SI198	210	325	410	472	800	920	1600
	ON ● ON	3	SI197	228	380	500	575	1000	1150	2000
	OFF	4	SI196	264	410	572	658	1200	1380	2400
	ON - OFF	1	SI191	174	280	350	403	600	690	1200
	OFF	2	SI192	210	325	410	472	800	920	1600
	● ON	3	SI199	228	380	500	575	1000	1100	2000
	OFF	4	SI194	264	410	572	658	1200	1380	2400
	TWO WAY WITH NO - OFF	1	SI037	206	350	425	489	900	1035	1800
	1	2	SI038	271	430	570	656	1250	1438	2500
	2 ● 2	3	SI039	324	480	700	805	1650	1898	3300
	1	4	SI040	408	610	800	920	2000	2300	4000
	TWO WAY WITH OFF	1	SI151	211	370	425	489	900	1035	1800
	OFF	2	SI152	271	424	570	656	1200	1380	2400
	2 ● 1	3	SI153	324	475	710	817	1600	1840	3200
	OFF	4	SI154	408	640	810	932	2000	2300	4000
	THREE WAY WITH OFF	1	SI060	244	406	500	575	1100	1265	2200
	OFF	2	SI080	330	514	670	771	1700	1955	3400
	3 ● 1	3	SI100	480	750	915	1052	2400	2760	4800
	2	4	SI131	583	860	1100	1265	3000	3450	6000
	FOUR WAY WITH NO OFF	1	SI050	286	486	560	644	1300	1495	2600
	1	2	SI070	410	630	790	909	2250	2588	4500
	4 ● 2	3	SI090	534	780	1100	1265	3000	3450	6000
	3	4	SI121	691	950	1300	1495	3750	4313	7500
	FIVE WAY WITH OFF	1	SI062	309	523	750	863	1500	1725	3000
	OFF	2	SI082	528	760	1040	1196	2500	2875	5000
	5 ● 1	3	SI102	691	1100	1350	1553	3500	4025	7000
	4 ● 2									
	3									
	SIX WAY WITH NO OFF	1	SI052	330	536	720	828	1750	2013	3500
	1	2	SI072	590	815	1244	1431	3000	3450	6000
	6 ● 2	3	SI092	816	1256	1368	1573	4250	4888	8500
5 ● 3										
4 ● 3										
	SEVEN WAY WITH OFF	1	SI064	457	590	800	920	2000	2300	4000
	OFF	2	SI084	779	872	1320	1518	3500	4025	7000
	7 ● 1	3	SI104	999	1322	1570	1806	5000	5750	10000
	6 ● 2									
	5 ● 3									
	EIGHT WAY WITH NO OFF	1	SI054	444	640	850	978	2250	2588	4500
	1	2	SI074	849	820	1300	1495	4000	4600	8000
	8 ● 2	3	SI094	1135	1360	1720	1978	5500	6325	11000
7 ● 3										
6 ● 4										

CAM OPERATED ROTARY SWITCHES (HIGH RATED - 100 A To 300 AMP)




	SWITCHING	POLE	PROGRAMME	100A SC100	125A SC125	160A SC160	200A SC200	250A SC250	300A SC300
	ON - OFF OFF	1	SI195	2100	2289	2520	2800	3800	4000
	ON ● ON	2	SI198	3100	3379	4050	4500	5225	5500
	OFF	3	SI197	4100	4469	5400	6000	6650	7000
		4	SI196	5100	5559	6750	7500	8075	8500
	ON - OFF OFF	1	SI191	2100	2289	2520	2800	3800	4000
	● ON	2	SI192	3100	3379	4050	4500	5225	5500
		3	SI199	4100	4469	5400	6000	6650	7000
		4	SI194	5100	5559	6750	7500	8075	8500
	TWO WAY WITH NO - OFF	1	SI037	2800	3052	3600	4000	5225	5500
	1	2	SI038	5000	5450	6300	7000	8075	8500
	2 ● 2	3	SI039	6500	7085	9000	10000	11400	12000
	1	4	SI040	8500	9265	11700	13000	14250	15000
	TWO WAY WITH OFF	1	SI151	3000	3270	3420	3600	5225	5500
	OFF	2	SI152	5000	5450	5580	6200	8075	8500
	2 ● 1	3	SI153	6500	7085	7650	8500	10925	11500
	OFF	4	SI154	8500	9265	9900	11000	14250	15000
	THREE WAY WITH OFF	1	SI060	4000	4360	4500	4800	6650	7000
	OFF	2	SI080	7000	7630	7965	8850	11400	12000
	3 ● 1	3	SI100	9500	10355	11700	13000	15675	16500
	2	4	SI131	12000	13080	15300	17000	19950	21000
	FOUR WAY WITH NO OFF	1	SI050	5000	5450	5700	6000	8075	8500
	1	2	SI070	9000	9810	9900	11000	14250	15000
	4 ● 2	3	SI090	12500	13625	13860	15400	19950	21000
	3	4	SI121	18000	19620	17100	19000	25650	27000
	FIVE WAY WITH OFF	1	SI062	7200	7848	-	-	-	-
	OFF	2	SI082	10400	11336	-	-	-	-
	5 ● 1 4 ● 2 3	3	SI102	18000	19620	20025	22250	25650	27000
	SIX WAY WITH NO OFF	1	SI052	7200	7848	8100	9000	8075	8500
	1	2	SI072	13000	14170	10800	12000	19000	20000
	6 ● 2 5 ● 3 4	3	SI092	16500	17985	16200	18000	-	-
	SEVEN WAY WITH OFF	1	SI064	-	-	-	-	-	-
	OFF	2	SI084	-	-	-	-	-	-
	7 ● 1 6 ● 2 5 ● 3 4	3	SI104	-	-	-	-	-	-
	EIGHT WAY WITH NO OFF	1	SI054	9500	10355	-	-	-	-
	1	2	SI074	-	-	-	-	-	-
	8 ● 2 7 ● 3 6 ● 4 5	3	SI094	-	-	-	-	-	-

ROTARY SWITCHES FOR MOTOR DUTY APPLICATIONS

SCI MAKE CAM OPERATED ROTARY SWITCHES SUITABLE FOR SWITCHING CONTROLLING AND STARTING 3 PHASE 440 VOLTS 50Hz SQUIRREL CAGE INDUCTION MOTORS FOR AC3 AND AC4 DUTIES.

	SWITCHING	POLE	AMPS	TYPE	PROGRAMME	DESCRIPTION	UNIT PRICE
		03	16	SC03	SI003	ON-OFF SWITCH	444.00
		03	25	SC03	SI003	ON-OFF SWITCH	560.00
		03	32	SC03	SI003	ON-OFF SWITCH	656.00
		03	40	SC03	SI003	ON-OFF SWITCH	910.00
		03	63	SC03	SI003	ON-OFF SWITCH	1090.00
		03	16	SC03	SI200	STAR-DELTA SWITCH	640.00
		03	25	SC03	SI200	STAR-DELTA SWITCH	840.00
		03	32	SC03	SI200	STAR-DELTA SWITCH	1008.00
		03	40	SC03	SI200	STAR-DELTA SWITCH	1816.00
		03	63	SC03	SI200	STAR-DELTA SWITCH	2003.00

FORWARD - OFF - REVERSE SWITCHES

SWITCHING	POLE	AMPS	TYPE	PROGRAMME	DESCRIPTION	UNIT PRICE
	03	06	SC 6	SI211	THREE POLE REVERSING	260.00
	03	10	SC10	SI211		312.00
	03	16	SC16	SI211		460.00
	03	25	SC25	SI211		600.00
	03	32	SC32	SI211		690.00
	03	40	SC40	SI211		1450.00
	03	63	SC63	SI211		1650.00
	03	25	SC25	SI217	TWO SPEED FORWARD REVERSE SWITCH	1350.00
	03	25	SC25	SI446	TWO SPEED FORWARD SWITCH IN DIFFERENT DIRECTIONS	972.00
	03	25	SC25	SI212	TWO SPEED FORWARD SWITCHES	900.00



CHANGEOVER SWITCHES (90° DOUBLE THROW)

SWITCHING	POLE	PROGRAMME	25 AMPS SC25 (Rs.).	32 AMPS SC32 (Rs.).	40 AMPS SC40 (Rs.).	63 AMPS SC63 (Rs.).
	02	SI152CO	460.00	498.00	708.00	1012.00
	03	SI153CO	599.00	640.00	886.00	1354.00
	04	SI154CO	783.00	822.00	1140.00	1684.00

Additional Price For Sheet Metal Box For 2 Pole Rs. 160.00 For 3 & 4 Pole Rs. 300.00

SWITCHES WITH METAL BOX 60°

	SWITCHING	POLE	PROGRAMME	16 AMPS SC16 (Rs.).	25 AMPS SC25 (Rs.).	32 AMPS SC32 (Rs.).
	Three Pole Reversing (Type SI211)	03	SI913	930.00	1030.00	1090.00
	Three Pole On-Off	03	SI244	720.00	850.00	960.00
	Three Pole Reversing	03 03	SI912 SI910	690.00 ----	820.00 ----	940.00 1260.00

SPRING RETURN SWITCHES

SWITCHING	POLE	PROGRAMME	DESCRIPTION	16 AMPS SC16 (Rs.).	25 AMPS SC25 (Rs.).	
	1	SI351	On-off With Spring Return To Off	480.00	563.00	
	2	SI352		559.00	686.00	
	3	SI353		670.00	878.00	
	4	SI354		715.00	1028.00	
	1	SI361	Double Throw	602.50	702.00	
	2	SI362	Spring Return	715.00	947.00	
	3	SI363	Both Side To Off	910.00	1257.00	
	1	SI364	Three Position With One Position Spring Return To Off	602.50	702.00	
	2	SI365		715.00	947.00	
	3	SI369		910.00	1257.00	
	1	SI371	Two Position Spring Return	602.50	702.00	
	2	SI372	Switches 2 To 1	715.00	947.00	
	3	SI373		910.00	1257.00	
	1	SI300	Stop-start Switch Spring Return To Centre Position	602.50	702.00	
	2	SI388		715.00	947.00	

SPRING RETURN SWITCHES FOR CONTROL CIRCUITS (TNC)


SWITCHING	POLE	PROGRAMME	DESCRIPTION	25 AMPS SC25 (Rs.).	32 AMPS SC32 (Rs.).
	2	SI009	2NO+2NC	795.00	900.00

SPARES FOR ROTARY SWITCHES

S.No.	DESCRIPTION	SIZE in mm.	UNIT PRICE
I.	INDICATING PLATES (FRONT PLATES)		
	+ 6 TO 16 AMPS	48 x 48	35.00
	+ 25 & 32 AMPS	64 x 64	45.00
	+ 40 & 63 AMPS	88 x 88	60.00
II.	SCRIPT PLATES (MARKING PLATES)		
	+ UP TO 16 AMPS	48 x 48	8.00
	+ 16 TO 32 AMPS	64 x 64	12.00
	+ 40 & 63 AMPS	88 x 88	17.00
III.	KNOBS		
	+ Tear Drop For 6 To 16 Amps	48 x 48, 48 x 60	18.00
	+ Tear Drop For 16 To 32 Amps	64 x 64, 64 x 80	33.00
	+ Tear Drop For 40 & 63 Amps	88 x 88	48.00
IV.	HANDLES		
	+ Flag Handle For 16 Amps	48 x 48, 48 x 60	18.00
	+ Flag Handle For 25 & 32 Amps	64 x 64, 64 x 80	33.00
	+ Ball Handle For 16 To 32 Amps	64 x 64, 64 x 80	50.00
	+ Ball Handle For 40 & 63 Amps	88 x 88	80.00
	+ Pistol Grip Handle For 16 To 32 Amps	64 x 64, 64 x 80	60.00
	+ Long Handle For 16 To 32 Amps	64 x 64, 64 x 80	60.00
	+ Lever Handle For 40 & 63 Amps	88 x 88	90.00
V.	MOUNTING PLATES (FOR REAR MOUNTING)		
	+ 6 TO 16 AMPS	48 x 48	6.00
	+ 25 & 32 AMPS	64 x 64	12.00
	+ 40 & 63 AMPS	88 x 88	18.00

TERMS AND CONDITIONS

1. This supercedes all previous price lists.
2. The prices mentioned in the list are exclusive of GST which shall be charged extra as applicable at the time of dispatch.
3. The prices are on F. O. R. Delhi Basis.
4. Insurance charges shall be extra at actual, if asked for.
5. The prices are subject to change without notice.
6. Our standard terms and conditions applicable to above prices.
7. All disputes are subject to Delhi jurisdiction.
8. All prices are in Indian Rupees.
9. The company reserves the rights to issue amendments, which may arise due to any errors in the price list.



AN ISO 9001 : 2015 COMPANY

For details Product Information Contact :

SWITCH CONTROL (INDIA)

A - 5/5, Jhilmil Industrial Area, Delhi-110 095

Email : scidelhi@ndb.vsnl.net.in, info@switchcontrolindia.in

Website : www.switchcontrolindia.in

